

Verbatim LED Tube T8 G13 1200mm 22W 1950lm 4000K

- G13 Socket
- 220-240V
- 40,000 hours Lifetime
- Luminous Flux: 1950 lm



Product Number 52701

General Data

Lamp Socket	G13
Design	LED T8 Tube

Electric Data

Wattage (W)	22
Voltage (V)	220-240
Dimmable	no
Power Factor	0.90
Operating Frequency (Hz)	50-60

Geometric Data

Length (mm)	1213
Diameter (mm)	28 x 32
Weight (g)	350

Photometric Data


Luminous Flux (lm)	1950
CRI	80
CCT (K)	4000
Beam Angle (°)	120
Luminous Efficacy (lm/W)	88.64
Lifetime (hrs)	40,000
Switching Cycle	100,000
Operating Temperature	-35 ~ 45°C




Product image




Technical drawing



Application image



Energy Rating



Technical Packaging Details

Barcode
023942527015
EAN 128
(02)00023942527015(37)04(91)803
EAN 14
50023940527010
Pack Dimensions(HxWxL)
35 x 33 x 1295 (mm)
Pack Weight
480 (g)
MOQ
10
Carton Dimensions (HxWxL)
90 x 180 x 1325 (mm)
Cartons/Pallet
36
Layers/Pallet
9
Units/Pallet
360



Photometric Diagrams

