

Verbatim LED Batten Luminaire 1 x T8 LED Tube 1200mm IP65

- Kit solution includes a Batten Luminaire and 1 x 4000K LED Tube
- Energy saving alternative to classic T8 batten luminaire
- 40,000 hours lifetime
- Direct mains voltage connection (220-240V)
- Special features: IP65 rating for outdoor use


Product Number	52419
General Data	
Housing material	PC/PC
Housing colour	Transparent/Grey
Protection class	IP65
Lamp Socket	G13
Dimmable	no
Geometric Data	
Length (mm)	1265
Height (mm)	86
Width (mm)	72
Weight (g)	1540
Electric Data	
Wattage (W)	22
Voltage (V)	220-240
Current (mA)	110
Power Factor	0.90
Operating Frequency (Hz)	50-60
Safety Class	Class I
Photometric Data	
Luminous Flux (lm)	1700
CRI	80
CCT (K)	4000
Luminous Efficacy (lm/W)	77.27
Lifespan	
Lifetime (hrs)	40,000
Switching Cycle	20,000
Mechanical Parameters	
Glow wire test	850°C



Product image




Technical drawing



Application image



Energy Rating



Technical Packaging Details

Barcode

023942524199

EAN 128

(02)00023942524199(37)04(91)803

EAN 14

50023942524194

Pack Dimensions(HxWxL)

70 x 105 x 1273 (mm)

Pack Weight

1850 (g)

MOQ

4

Carton Dimensions (HxWxL)

180 x 245 x 1308 (mm)

Cartons/Pallet

15

Layers/Pallet

5

Units/Pallet

60



Photometric Diagrams

